

PWS Information

Purpose of this worksheet: For water systems to document basic system information.

Facility Information

Water System Name:

Longhorn Country Estates 687

PWSID:	Population Served (number of people):	Number of Service Connections:	PWS Type:
30190	80	32	<input checked="" type="checkbox"/> CWS <input type="checkbox"/> NTCWS

If you are a CWS, do multi-family residences comprise at least 20% of the structures you serve? **No**

Mailing Address

Street or P.O. Box:

1230 Ruddell Rd SE

City or Town:	State:	Zip Code:
Olympia	WA	98503

System Contact Person

Name:	Title:
Kim Gubbe	Director of Planning and Compliance
Telephone:	Email:
360-357-8783 Ext. 125	kgubbe@thurstonpud.org

Person Who Prepared Inventory (if different from above)

Detailed Inventory

PWS Name: Longhorn Country Estates 687

PWSID: 30190

Last Updated: 10/01/2024

Location Information	System-Owned Portion			Customer-Owned Portion			
Unique Service Line ID	Lateral Line Installation Date	System-Owned Portion Service Line Material Classification (required)	Basis of Material Classification (required)	Service Line Installation Date	Customer-Owned Portion Service Line Material Classification (required)	Basis of Material Classification (required) ²	Entire Service Line Material Classification (required)
15030	1982	Non-Lead - Plastic	Records	1988	Non-Lead - Other	Installation date after lead ban	Non-Lead
15031	1982	Non-Lead - Plastic	Records	1989	Non-Lead - Other	Installation date after lead ban	Non-Lead
15032	1982	Non-Lead - Plastic	Records	1988	Non-Lead - Other	Installation date after lead ban	Non-Lead
15033	1982	Non-Lead - Plastic	Records	1988	Non-Lead - Other	Installation date after lead ban	Non-Lead
15034	1982	Non-Lead - Plastic	Records	1982	Non-Lead - Plastic	Records	Non-Lead
15035	1982	Non-Lead - Plastic	Records	1981	Non-Lead - Plastic	Records	Non-Lead
15036	1982	Non-Lead - Plastic	Records	1986	Non-Lead - Plastic	Records	Non-Lead
15037	1982	Non-Lead - Plastic	Records	1993	Non-Lead - Other	Installation date after lead ban	Non-Lead
15038	1982	Non-Lead - Plastic	Records	1986	Non-Lead - Plastic	Records	Non-Lead
15039	1982	Non-Lead - Plastic	Records	1987	Non-Lead - Other	Installation date after lead ban	Non-Lead
15040	1982	Non-Lead - Plastic	Records	1988	Non-Lead - Other	Installation date after lead ban	Non-Lead
15041	1982	Non-Lead - Plastic	Records	1987	Non-Lead - Other	Installation date after lead ban	Non-Lead
15042	1982	Non-Lead - Plastic	Records	1991	Non-Lead - Other	Installation date after lead ban	Non-Lead
15043	1982	Non-Lead - Plastic	Records	2020	Non-Lead - Other	Installation date after lead ban	Non-Lead
15044	1982	Non-Lead - Plastic	Records	1988	Non-Lead - Other	Installation date after lead ban	Non-Lead
15045	1982	Non-Lead - Plastic	Records	1985	Non-Lead - Plastic	Records	Non-Lead
15046	1982	Non-Lead - Plastic	Records	1989	Non-Lead - Other	Installation date after lead ban	Non-Lead
15047	1982	Non-Lead - Plastic	Records	1986	Non-Lead - Plastic	Records	Non-Lead
15048	1982	Non-Lead - Plastic	Records	1991	Non-Lead - Other	Installation date after lead ban	Non-Lead
15049	1982	Non-Lead - Plastic	Records	1984	Non-Lead - Plastic	Records	Non-Lead
15050	1982	Non-Lead - Plastic	Records	2012	Non-Lead - Other	Installation date after lead ban	Non-Lead
15051	1982	Non-Lead - Plastic	Records	1995	Non-Lead - Other	Installation date after lead ban	Non-Lead
15052	1982	Non-Lead - Plastic	Records	1986	Non-Lead - Plastic	Records	Non-Lead
15053	1982	Non-Lead - Plastic	Records	1984	Non-Lead - Plastic	Records	Non-Lead
15054	1982	Non-Lead - Plastic	Records	1990	Non-Lead - Other	Installation date after lead ban	Non-Lead
15055	1982	Non-Lead - Plastic	Records	1986	Non-Lead - Plastic	Records	Non-Lead
15056	1982	Non-Lead - Plastic	Records	1994	Non-Lead - Other	Installation date after lead ban	Non-Lead
15057	1982	Non-Lead - Plastic	Records	1982	Non-Lead - Plastic	Records	Non-Lead
15058	1982	Non-Lead - Plastic	Records	1989	Non-Lead - Other	Installation date after lead ban	Non-Lead
15059	1982	Non-Lead - Plastic	Records	1987	Non-Lead - Other	Installation date after lead ban	Non-Lead
15060	1982	Non-Lead - Plastic	Records	1980	Non-Lead - Plastic	Records	Non-Lead
15061	1982	Non-Lead - Plastic	Records	1983	Non-Lead - Plastic	Records	Non-Lead

Inventory Summary

PWS Name: Longhorn Country Estates 687

PWSID: 30190

Last Updated: 10/01/2024

Purpose of this worksheet: For water systems to provide a summary of their service line inventory, including information on ownership, inventory format, and the number of service lines for each of the four required materials classifications.

Part 1. General Information

1. Is this the Initial Inventory or an Inventory Update ?	<i>Initial Inventory</i>
2. If you used a lead ban date to classify non-lead, what date did you use? Provide rationale if date used is prior to 1986.	
1986	
3. Do you have lead goosenecks, pigtails or connectors in your system?	<i>No</i>

Part 2. Inventory Summary Table ¹

The below summary will help you when submitting your inventory to the state. The classifications listed in the "Detailed Inventory" tab Column K "Entire Service Line Material Classification" are used to calculate the total number of service lines for each of the four material classifications below. **These are the totals for the four classifications for all service lines inventoried.**

Service Line Material Classification	Definition	Total Number of Service Lines (REQUIRED to be reported under the LCRR)
Lead	Any portion of the service line is known to be made of lead. ²	0
Galvanized Requiring Replacement (GRR)	The service line is not made of lead, but a portion is galvanized and the system is unable to demonstrate that the galvanized line was never downstream of a lead service line.	0
Non-Lead	All portions of the service line are known NOT to be lead or GRR through an evidence-based record, method, or technique.	32
Lead Status Unknown	The service line material is not known to be lead or GRR. For the entire service line or a portion of it (in cases of split ownership), there is not enough evidence to support material classification.	0
TOTAL		32

Notes

¹This summary table is for reporting material for the entire service line connecting the water main to the customer's plumbing. See the **Classifying SLs** worksheet for additional guidance on assigning a materials classification to the entire service line when ownership is split. Remember that systems must track the system-owned and customer-owned portions separately in their inventory.

²A lead-lined galvanized service line is consistent with the definition of an LSL under the LCRR ("a portion of pipe that is made of lead, which connects the water main to the building inlet") (40 CFR §141.2) and must therefore be classified in the inventory as an LSL. Do NOT, however, count non-lead service lines with a lead gooseneck or pigtail as lead service lines unless required by your state.

Public Accessibility Documentation

PWS Name: Longhorn Country Estates 687

PWSID: 30190

Last Updated: 10/01/2024

Purpose of this worksheet: For systems to provide documentation to states on how they met the public accessibility requirements of the LCRR.

1. Select the location identifiers that you use for your service line inventory. Check all that apply.

- Address
- Street
- Block
- Intersection
- Landmark
- GPS Coordinates
- Other

If "Other", please describe:

Unique Lot # is use for all location identifiers

2. Does **every service line** have a location identifier?

Yes

If "No", explain. Remember that location identifiers are required for service lines that are lead and galvanized requiring replacement.

3. How are you making your inventory publicly accessible? Check all that apply. Remember that if your system serves > 50,000 people, you **must** provide the inventory online.

- Interactive online map
- Static online map
- Online spreadsheet
- Printed service line map
- Printed tabular data
- Information on water utility mailings or newsletter
- Hard copy information available in water system office
- Other

If "Other", please describe:

LSLI for this water system is available upon request as of this submittal date and will be accessible on our website by October 31, 2024.